




**NEOBUS**

Novosadska fabrika autobusa



Dimensions:



A	B	C	D	E	F	G	H
4000mm	8495mm	3375mm	2500mm	1915mm	2580mm	1971mm	1822mm

Equipment:



Double air circuit  
DISK/EBS/ABS/ASR



Optional equipment  
and engines

## Tehničke karakteristike:

Type	Mini
Chassis	FAP AS 1217/40
Engine	FAMOS / OM 352 A
Engine type, Cyl. Nr.	inline, 6
Bore/Stroke	Ø 97/128 mm
Displacement	5675 cm <sup>3</sup>
Output	124 kW (170 KS), 2800 rpm
Max. torque	490 Nm, 1600 rpm
Position in vehicle	rear, vertical
Clutch	GMF 330 SAE 2
Gearbox	FAP 5MS-60
Transmission ratio	i = 4,875
Retarder	TELMA
Steering	Servo-hydraulic
Front axle	FAP elastic suspension, steel
Rear axle	FAP elastic suspension, steel
Min. turning	11,9m
Max. wheel angle	48°
Rims	7,5" x 22,5"
Tyres	275/70 R22.5
Batteries	2 x 12V / 110 Ah
Altenator	120A
Fuel tank	200 L
Max. speed	101 km/h
Max. climbing ability	31%
Luggage volume	3 m <sup>3</sup>
Total passengers	31 + 1